§51.2929

by count, of the apricots in any sample may be below the minimum size specified.

APPLICATION OF TOLERANCES

$\S 51.2929$ Application of tolerances.

Individual samples are subject to the following limitations: Provided, that the averages for the entire lot are within the tolerances specified for the grade.

- (a) For a tolerance of 10 percent or more; individual samples in any lot may contain not more than one and one-half times the tolerance specified, except that 1 decayed or 1 seriously damaged specimen may be permitted in any sample.
- (b) For a tolerance of less than 10 percent, individual samples in any lot may contain not more than double the tolerance specified, except that 1 decayed specimen may be permitted in any sample.

DEFINITIONS

§51.2930 Mature.

Mature means having reached the stage of development which will insure a proper completion of the ripening process.

§51.2931 Well-formed.

Well-formed means having the shape characteristic of the variety.

§51.2932 Damage.

Damage means any specific defect defined in this section; or an equally objectionable variation of any one of these defects, any other defect, or a combination of defects, which materially detracts from the appearance, or the edible or shipping quality of the apricot. The dimensions given for these defects are based on an apricot with a diameter of 1% inches (4.8 cm). Correspondingly larger or smaller dimensions are allowed on larger or smaller apricots. The following specific defects shall be considered as damage:

- (a) Growth Cracks which are unhealed or when well healed and over three-eighths of an inch (9.5 mm) in length.
- (b) *Limbrubs* which are smooth and shallow and are more than one-fourth inch (6.4 mm) in diameter.

- (c) Russeting which is reddish to brown in color and exceeds 10 percent of the surface or thick, rough, and very dark and exceeds 5 percent of the surface.
- (d) *Dirt* including spray residue appearing to the extent that it is readily apparent.
- (e) *Scab* spots when cracked or aggregating more than three-eighths inch (9.5 mm) in diameter.
- (f) Scale occurring as scale insects, scale marks, or similar marks which are heavily concentrated or are scattered and aggregating more than one-fourth inch (6.3 mm) in diameter.
- (g) *Hail* when the skin has been broken or when not shallow and superficial or more than three-eighths inch (9.5 mm) in diameter in the aggregate.
- (h) Bruises when: (1) The flesh is discolored deeper than one-eighth of an inch (3.1 mm); or
- (2) Any bruise causing discoloration exceeding the area of a circle three-eighths inch (9.5 mm) in diameter; or
- (3) An aggregate of lesser bruises detracting from the appearance, edible or shipping quality of the apricot as much as paragraph (h) (1) or (2) of this section

§51.2933 Serious damage.

Serious Damage means any specific defect defined in this section; or an equally objectionable variation of any one of these defects, any other defect, or a combination of defects, which seriously detracts from the appearance, or the edible or shipping quality of the apricot. The dimensions given for these defects are based on an apricot with a diameter of 1% inches (4.8 cm). Correspondingly larger or smaller dimensions are allowed on larger or smaller apricots. The following specific defects shall be considered as serious damage:

- (a) Growth Cracks which are unhealed or when well healed and over one-half inch (12.7 mm) in length.
- (b) *Limbrubs* which are smooth and shallow and are more than one-half inch (12.7 mm) in diameter.
- (c) Russeting which is reddish to brown in color and exceeds one-third of the surface or thick, rough, and very dark and exceeds 15 percent of the surface